WARR≱OR™ CATALOGUE

FOOT PROTECTION

OUR RANGE OF FOOTWEAR IS DESIGNED TO ENSURE THE USER'S FEET ARE PROTECTED IN ALL WORKING CONDITIONS.

WHATEVER THE TASK.



COMFORTABLE Durable footwear for ease of movement



LONG LASTING High quality, durable products



BLACK SAFETY TOE WELLINGTONS SIZE UK 5 - 13 (EU 38 - 48)

- Black PVC upper with kick off lug at heel
- PVC / nitrile sole
- Outer sole is of hard density material
- Abrasion and slip resistant
- Shock absorbing heel

| TECHNICAL DETAILS | |
|--------------------|--|
| EN ISO 20345: 2011 | |
| S4 SRA | |
| CODE: DWF0015 | |
| | |







BLACK SAFETY TOE AND MIDSOLE WELLINGTONS

SIZE UK 5 - 13 (EU 38 - 48)

- Black PVC upper with kick off lug at heel
- Steel midsole
- PVC / nitrile sole
- Outer sole is of hard density material
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

| CODE: DWF0020 | • | |
|--------------------|---|--|
| S5 SRA | | |
| EN ISO 20345: 2011 | | |
| | | |



WHITE SAFETY TOE WELLINGTONS

UK 5 - 13 (EU 38 - 48)

- White PVC upper with kick off lug at heel
- PVC / nitrile sole
- Outer sole is of hard density material
- Abrasion and slip resistant
- Shock absorbing heel

| TECHNICAL DETAILS | |
|--------------------|--|
| EN ISO 20345: 2011 | |
| S4 SRA | |
| CODE: DWF0025 | |



BLACK LINED WP RIGGER BOOTS

- Printed black apollo leather upper
- Padded ankle support
- Leather pull on loops
- Bottom half waterproof membrane lining
- TPU heel support and protection
- Replaceable, full length cushioned EVA insock
- Composite midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 WR SRC

CODE: DWF0070

Steel midsole

Dual density PU sole

UK 5 - 13 (EU 38 - 48)

Tan apollo leather upper

Leather pull on hoops

Contrast beige stitching

Synthetic faux fur lining

Outer sole is of hard density material

Replaceable, full length cushioned insock

TAN LINED RIGGER BOOTS

Mid section of sole is made of softer density PU for comfort

ANTI-STATIC

- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWF0035

UK 5 - 13 (EU 38 - 48)



BLACK SI CHUKKA BOOTS

UK 3 - 14 (EU 36 - 49)

- Black printed leather upper
- Padded PU collar
- 4 pairs of steel 'D' rings
- Moisture wicking textile lining
- Replaceable, full length cushioned insock

•

- PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1 SRC

CODE: DWF0120

CRAZY HORSE BROWN HIKER BOOTS



BLACK SIP CHUKKA BOOTS

- UK 3 14 (EU 36 49)
- Black printed leather upper
- Fully padded PU collar
- 4 pairs of steel 'D' rings
- Moisture wicking textile lining
- Replaceable, full length cushioned insock

- Steel midsole
- PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

| EN I | SO 20345: 2011 |
|------|----------------|
| S1P | SRC |





BLACK ANKLE BOOTS

UK 3 - 13 (EU 36 - 48)

- Smooth black leather upper
- Padded PU collar
- Suede leather padded tongue
- 3 pairs of steel lace loops and 2 pairs of steel hooks to aid quick release lacing
- Moisture wicking textile lining
- Replaceable, full length cushioned EVA insock

- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO045



BLACK TRAINER BOOTS

UK 3 - 13 (EU 36 - 48)

- Smooth black leather and textile mesh upper
- Anti scuff toe guard and padded collar
- 3 pairs of steel lace loops and 1 pair of hooks to aid quick release lacing
- Moisture wicking textile lining
- Replaceable, full length cushioned EVA insock

- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO050



WARR**?**OR[™]

warriorprotects.com

DWFO065 featured on page 7

For orders call 01384 411101 or email sales@mmsgroup.co.uk OUR FOOTWEAR HAS BEEN DESIGNED WITH PRACTICALITY, PROTECTION AND COMFORT IN MIND.

PROTECT YOUR FEET.



PRACTICAL

Designed for ease of movement and comfort in all working conditions



HIGH QUALITY Designed for the toughest conditions



BLACK DEALER BOOTS UK 4 - 13 (EU 37 - 48)

- Smooth black leather
- Elasticated ankle support
- Moisture wicking textile lining
- Replaceable, full length cushioned EVA insock
- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWF0060



.





BROWN WAXY DEALER BOOTS

UK 3 - 13 (EU 36 - 48)

- Brown crazy horse waxy leather
- Brown sandwich mesh wicking lining
- Dark brown elasticated ankle
- TPU heel support
- Black flexi EVA insock with anti-static stitching

- Steel midsole
- Dual density PU / PU sole
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 SRC

CODE: DWF0095



HIKER BOOTS

UK 3 - 13 (EU 36 - 48)

- Wheat nubuck leather upper / dark brown leather upper / crazy horse brown leather upper
- Water resistant upper
- Brown sandwich mesh lining
- Dark brown PU padded collar
- Black PU foam insock
- 4 gun metal loops and 2 gun metal hooks / 4 antique metal loops and 2 antique metal hooks
- Composite midsole
- Softer density EVA / harder density rubber outsole
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S2P SRC

CODE: DWF0115 😑 CODE: DWF0125



WELTED BOOTS

UK 6 - 13 (EU 39 - 48)

- Smooth black leather upper / smooth sand coloured nubuck leather upper
- Soft padded PU collar
- Black / sand suede padded tongue
- 7 pairs of brass hexagonal eyelets
- Moisture wicking textile lining
- Replaceable, full length cushioned EVA insock
- Steel midsole
- Goodyear welted nitrile / rubber sole
- Contact heat resistance to 300°C

TECHNICAL DETAILS

EN ISO 20345: 2011

| SBP FO HRO SRC | |
|----------------|--|
| | |

CODE: DWF0040 CODE: DWF0065



COMING SOON

BLACK ACTION ANKLE BOOTS UK 4 - 13 (EU 37 - 48)

- Black action crazy horse waxy leather upper
- Grey nylon sandwich mesh lining
- Black oxford nylon mesh padded collar
- TPU heel kick off support
- 5 gun metal hexagonal eyelets with gun metal quick release anchor hook
- Black PU foam insock
- Steel midsole

- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011 S3 SRC CODE: DWF0175 •

THE USER MUST SELECT THE APPROPRIATE FOOTWEAR FOR THE PROTECTION REQUIRED AND THE WEAR ENVIRONMENT.









DARK BROWN ACTION ANKLE BOOTS

COMING SOON



Honey action nubuck leather upper

- Brown nylon sandwich mesh lining
- Dark brown PU perforated padded collar
- TPU heel kick off support
- 5 antique metal hexagonal eyelets with antique metal quick release anchor hook
- Black PU foam insock
- Steel midsole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 SRC

CODE: DWF0185



8

UK 4 - 13 (EU 37 - 48)

- Dark brown action crazy horse waxy leather upper
- Grey nylon sandwich mesh lining
- Brown oxford nylon mesh padded collar
- TPU heel kick off support
- 5 antique metal hexagonal eyelets with antique metal quick release anchor hook
- Black PU foam insock
- Steel midsole

S3 SRC

Outer sole is of hard density material

- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

CODE: DWFO180

TECHNICAL DETAILS EN ISO 20345: 2011



UNISEX WP HIKER BOOTS WITH SCUFF CAPS

UK 3 - 13 (EU 36 - 48)

- Black / waxy brown water resistant full grain leather upper
- Fully padded nylon mesh collar
- TPU heel and ankle support
- 4 pairs of special designed metal lace loops
- 2 pairs of metal hooks to aid quick release lacing
- Moisture wicking textile waterproof / breathable membrane lining
- Replaceable, full length cushioned insock

- Steel midsole
- Dual density PU sole with moulded scuff resistant cap
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 WR SRC

CODE: DWFO075

CODE: DWF0080

STEEL ST

BLACK WAXY BOOTS WITH SCUFF CAPS UK 4 - 12 (EU 37 - 47)

- Black water resistant buffalo crazy horse waxy leather
- Red sandwich mesh lining and pull on woven heel tape
- Oxford nylon mesh padded collar and tongue
- Black gel heel insock with anti-static stitching
- TPU heel support
- 6 metal loops
- Composite midsole
- Black PU injection with rubber outsole and scuff protection
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

| TECHNICAL DETAILS | |
|-------------------|--|
|-------------------|--|

| EN ISO 20345: 2011 | |
|--------------------|---|
| S3 HRO SRC | |
| CODE: DWF0110 | • |



HELP PREVENT THE RISK OF INJURIES TO YOUR FEET BY WEARING OUR QUALITY WAXY FULL GRAIN BOOTS.

PROTECT YOUR FEET.



WATER RESISTANT Designed to keep your feet dry



GREAT VALUE Premium footwear within budget



BLACK WAXY FULL GRAIN BOOTS UK 4 - 13 (EU 37 - 48)

- Waxy black water resistant full grain leather upper
- Deep padded PU collar
- 5 pairs of metal lace loops to aid quick release lacing
- Moisture wicking sandwich mesh lining
- Replaceable, full length cushioned insock
- Steel midsole
- Dual density PU / rubber sole
- Outer sole is of hard density rubber
- Mid section of sole is made of softer density PU for comfort
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 HRO SRC







BLACK METATARSAL BOOTS

UK 4 - 13 (EU 37 - 48)

- Black barton print split action leather
- Water resistant
- Red sandwich mesh lining
- PU padded collar and tongue
- Red EVA insock with anti-static stitching
- Steel midsole
- Composite metatarsal protector
- Dual density black PU with black / red rubber outsole
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 M HRO SRC

CODE: DWFO105



BLACK TRAINER SHOES

UK 3 - 13 (EU 36 - 48)

- Smooth black leather and textile mesh upper
- Scuff toe guard and padded collar
- 4 pairs of steel lace loops and 1 pair of hooks for quick release lacing
- Moisture wicking textile lining
- Replaceable, full length cushioned insock
- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWF0140



BLACK SHOES

UK 3 - 13 (EU 36 - 48)

- Printed leather upper
- Padded PU collar
- 3 pairs of steel round eyelets
- Moisture wicking textile lining
- Replaceable, full length cushioned insock
- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWF0135



WHITE HYGIENE SLIP ON SHOES

UK 3 - 13 (EU 36 - 48)

- Water resistant microfibre upper
- Padded collar
- Clean design for good liquid run off
- Elastic to aid fitting under tongue
- Anti-bacterial moisture wicking textile lining
- Replaceable, full length cushioned EVA insock, perforated to aid airflow
- Single density PU sole
- Slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011 S2 SRC

CODE: DWF0150

THE USER MUST SELECT THE APPROPRIATE FOOTWEAR FOR THE PROTECTION REQUIRED AND THE WEAR ENVIRONMENT.

HELP PREVENT THE RISK OF INJURIES BY WEARING OUR WARRIOR BLACK SUEDE LEATHER FOOT PROTECTION.

QUALITY LADIES TRAINERS.



COMFORTABLE

Durable footwear for ease of movement



HIGH QUALITY Designed for the toughest conditions



LADIES TRAINERS UK 3 - 8 (EU 36 - 42)

- Black suede leather and breathable nylon mesh upper
- Padded nylon collar
- 4 pairs of blind eyelets to aid easy lacing
- Moisture wicking textile sandwich mesh lining in contrast black with pink tongue lining colours
- Replaceable, full length cushioned insock, perforated to aid airflow
- Composite midsole
- Dual density phylon / rubber sole
- Outer sole is of hard density rubber
- Mid section of sole is made of softer density phylon for wearer comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC







LADIES TRAINERS

UK 3 - 8 (EU 36 - 42)

- Black action nubuck leather upper
- Padded PU collar
- 3 pairs of blind eyelets to aid easy lacing
- 1 pair of plastic reinforced eyelets
- Moisture wicking textile sandwich mesh lining in contrast black and pink colours
- Replaceable, full length cushioned insock, perforated to aid airflow
- Composite midsole
- Single density rubber sole
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWF0160



RED L / W KPU / MESH TRAINERS

UK 3 - 12 (EU 36 - 47)

- Black lightweight KPU shell and red nylon mesh upper
- Black sandwich mesh lining and pull on woven heel loop
- Oxford nylon mesh padded tongue
- Black insock with anti-static stitching
- TPU heel and ankle support
- TPU scuff toe protector
- 5 black round eyelets
- Composite midsole
- Cemented dual density EVA / rubber sole
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWF0170



BLACK L / W MESH TRAINERS

UK 3 - 12 (EU 36 - 47)

- Black lightweight nylon mesh upper
- Black sandwich mesh lining and pull on woven heel loop
- Oxford padded collar and tongue
- Black insock with anti-static stitching
- TPU heel and ankle support
- TPU scuff toe protector
- 5 black round eyelets
- Composite midsole
- Cemented dual density EVA / rubber sole
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWF0165



BLACK COMPOSITE SHOES

UK 3 - 13 (EU 36 - 48)

- Smooth black leather upper
- Polyurethane padded collar
- 3 pairs of non metallic eyelets
- Moisture wicking textile lining
- Replaceable, full length cushioned EVA insock
- Composite midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011 S1P SRC •

CODE: DWF0145

THE USER MUST SELECT THE APPROPRIATE FOOTWEAR FOR THE PROTECTION REQUIRED AND THE WEAR ENVIRONMENT.

HELP PREVENT THE RISK OF INJURIES BY WEARING OUR QUALITY WARRIOR BLACK COMPOSITE WP BOOTS.

QUALITY FOOT PROTECTION.



WATER RESISTANT Designed to keep your feet dry



PRACTICAL Designed for ease of movement and comfort in all working conditions



BLACK COMPOSITE WP BOOTS UK 3 - 13 (EU 36 - 48)

- Smooth black water resistant leather upper
- Fully padded textile mesh collar, contrast grey stitching
- 4 pairs of plastic lace loops and 2 pairs of plastic hooks to aid quick release lacing
- Moisture wicking textile waterproof membrane lining
- Replaceable, full length cushioned insock
- Composite midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for wearer comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 WR SRC





15



BLACK COMPOSITE UNIFORM BOOTS

UK 3 - 13 (EU 36 - 48)

- Black smooth action leather
- Dark grey sandwich mesh nylon lining
- PU padded collar and tongue
- 4 woven loop black / grey / black lace fixings
- Black flexi EVA insock with anti-static stitching

- Composite midsole
- Dual density PU / PU sole
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO100



BLACK WAXY COMPOSITE WP BOOTS

UK 4 - 12 (EU 37 - 47)

- Black full grain buffalo waxy leather upper
- Water resistant
- Grey sandwich mesh and waterproof bag lining
- Grey oxford nylon mesh padded collar and tongue
- Black TPU anti scuff toe protector
- TPU ankle and heel support
- 4 black plastic hooks and 1 woven loop
- Gel heel insock with anti-static stitching
- Composite midsole
- Grey EVA midsole with black / red rubber outsole

- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 WR HRO SRC



YOUR PPE SPECIALIST.



For orders call **01384 411101** or email **sales@mmsgroup.co.uk** warriorprotects.com





WARRIOR AND WARRIOR PROTECTS ARE TRADE MARKS OF MAIN MAN SUPPLIES LTD