

Portable Roadway Solutions



SPH Plant Flexboard *Keeping things moving!*

www.sphplant.co.uk | Tel: 01952 501155 | Email: info@sphplant.co.uk

Upper Coalmoor Farm, Horsehay, Telford, Shropshire, TF4 2PX

WHAT WE DO NEVER STOPS



For over 50 years, SPH Plant Flexboard has been supplying temporary access solutions to the agricultural, construction, industrial, rail and events sectors.

SPH Plant's range of portable roadways and excavation matting are low cost, low maintenance and high performance.

WHAT WE DO NEVER STOPS

If you need site access and want a swift, cost effective and robust solution don't just think portable trackway, think SPH Plant Flexboard!

Choose SPH Plant, Choose Peace of Mind:

- Free site visit
- Expert advice
- Competitive prices
- Expert installation service
- Delivery throughout the UK
- Dedicated account handler to coordinate your project from start to finish

SPH Plant Flexboards: The Cost-Effective Solution on Difficult Terrain

Hire from SPH Plant and you're hiring a quality product from a company that has amassed years of experience at solving access problems in difficult terrain.

Flexboards are ideal for the construction, civil engineering and grounds works industries. Flexboard are perfect for providing temporary ground protection and access for outdoor leisure events.

- **SAFE:** non-slip surface
- **DURABLE:** heavy duty ground protection/temporary access mat
- **QUICK TO INSTALL:** 1.06m wide x 2m long and 50mm thick
- **ROBUST:** Constructed from tough hardwood and bound by mild steel bands, Flexboards take the strain no matter what you throw at them
- **TOUGH:** Support traffic up to 32 tonnes
- **ADAPTABLE:** Bars looped at each end allow a dowel to be inserted to form flexible connections
- **USER FRIENDLY:** Easily laid and relocated and virtually vandal resistant



Specification

Dimensions: 2m long x 1.06m wide

Thickness: 50mm

Weight: 102kg



Flexboards provide a safe and secure working platform. Flexboards spread weight and protect existing surfaces. Ideal for temporary roadway solutions, Flexboards provide safe and secure working platforms, flooring for temporary structures and temporary access and parking for events and sites.

EuroMat: Choose EuroMat, Choose Unrivalled Performance

Combine SPH Plant's legendary levels of customer service and reliability with EuroMat's proven ability to deliver temporary access solutions that protect the ground and provide safe and stylish pathways for both pedestrians and vehicles you are on a winner.

EuroMats are ideal for the construction, civil engineering and ground work industries. EuroMats are perfect for providing temporary ground protection and access for outdoor leisure events.



Specification

Dimensions: 2.4m long x 12m wide

Thickness: 12mm

Weight: 36kg



- **SAFE:** EuroMat features the industry's most effective non slip, non-trip surface
- **DURABLE:** Heavy duty ground protection/temporary access mat
- **QUICK TO INSTALL:** 1.2m wide x 2.4m long and 12mm thick
- **ROBUST:** Weight 36kg; compression moulded, not extruded
- **TOUGH:** Unbreakable up to 80 tonnes
- **ADAPTABLE:** A wide range of connection options are available for long term deployment and demanding applications such as steep or sloping terrain
- **USER FRIENDLY:** Extra hand cut outs – great for offloading from trucks


EuroMats are light enough for two men to handle. EuroMats prevent vehicles getting bogged down. EuroMats significantly reduce damage to ground, including heritage and eco-sensitive areas. EuroMats avoid the need for reinstatement. EuroMat's unique 'mud dispersing' non-slip chevron grip-surface is the most effective on the market. EuroMats can be connected at right angles to one another to form pads and turning areas.

Pipeline-Excavator Crane Mats

Dealing with waterlogged or particularly unstable ground or simply need to create a firm base for heavier machinery? SPH Plant Flexboard has the perfect solution!

Our hardwood mats are used extensively in oil, gas, water, civils and construction industries where land needs to be stabilised or to protect sensitive areas or underground services.

Renowned for their high breaking strength and durability, they have become the first choice for the marine sector due to their ability to withstand pressure and strong weather conditions.



Specification

Dimensions: 3.5 or 5m long x 1m wide

Thickness: 70mm 100mm or 150mm

When it comes to delivering the best temporary access solution, SPH Plant Flexboard is second to none! In fact, SPH Plant is so proud of its unrivalled reputation that we developed a customer charter:

The same named contact for the duration of your project

Free site inspection

Free site survey

Free, fully detailed, no-obligation quotation

Proactive Health and Safety assessment

Competency document

Comprehensive method statement

Efficient installation by our own expert team

On time, off hire service



www.sphplant.co.uk | Tel: 01952 501155 | Email: info@sphplant.co.uk

Upper Coalmoor Farm, Horsehay, Telford, Shropshire, TF4 2PX

www.sphplant.co.uk